

## **ALLERGY ACTION PLAN**

## Summer 2018

Name:		Date of B	irth:		
Allergic to:		Asthmati	Asthmatic? □ Yes □ No		
STEP 1: TREATMENT					
SYMPTOMS		_	Give Checked Medication  To be determined by physician authorizing treatment		
No symptoms: If a food allergen has been ingested, but no symptoms			Epinephrine	☐ Antihistamine	
Mouth: Itching, tingling, or swelling of lips, tongue, mouth		<b>-</b>	Epinephrine	☐ Antihistamine	
Skin: Hives, itchy rash, swelling of the face or extremities			Epinephrine	☐ Antihistamine	
Gut: Nausea, abdominal cramps, vomiting, diarrhea		<b>-</b>	Epinephrine	☐ Antihistamine	
<b>Throat</b> <sup>†</sup> : Tightening of throat, hoarseness, hacking cough			Epinephrine	☐ Antihistamine	
$\mathbf{Lung}^{\dagger}$ : Shortness of breath, repetitive coughing, wheezing			Epinephrine	☐ Antihistamine	
<b>Heart</b> <sup>†</sup> : Thready pulse, low blood pressure, fainting, pale, blueness		<b>-</b>	Epinephrine	☐ Antihistamine	
Other <sup>†</sup> (please specify):		<b>-</b>	Epinephrine	☐ Antihistamine	
If reaction is progressing (several of the above areas affected), give		<b>-</b>	Epinephrine	☐ Antihistamine	
†Potentially life-threatening.					
DOSAGE					
<b>Epinephrine:</b> inject intramuscularly using: □ EpiPen® □ EpiPen® Jr. □ Auvi-Q™ 0.3mg □ Auvi-Q™ 0.15mg					
Antihistamine: give					
Other: give					
(medication / dose / route)  IMPORTANT: Asthma inhalers and/or antihistamines cannot be depended on to replace epinephrine in anaphylaxis.					
STEP 2: EMERGENCY CALLS					
	Name		Phone Number(s)		
1. 911: State that an allergic reaction has been treated, and additional epinephrine may be needed.					
2. Physician					
3. Mother					
4. Father					
5. Emergency Contact 1 (Relationship: )					
6. Emergency Contact 2 (Relationship: )					
EVEN IF PARENT/GUARDIAN CANNOT BE REACHED, DO NOT HESITATE TO MEDICATE OR TAKE CHILD TO MEDICAL FACILITY!					
Signature of Parent or Guardian			Date		
Signature of Physician (required)			Date		